

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/656,218 09/08/2003		09/08/2003	Ernst Peter Strecker	12013/56004	12013/56004 1060	
23838	7590	01/11/2006		EXAMINER		
KENYON	& KENY	ON LLP	WILLSE, I	WILLSE, DAVID H		
ONE BROA	DWAY					
NEW YORK	K. NY 10	0004	ART UNIT	PAPER NUMBER		
,				3738		

DATE MAILED: 01/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
Office Action Summary		10/656,218	STRECKER, ERNST PETER		
		Examiner	Art Unit		
		Dave Willse	3738		
Period fo	The MAILING DATE of this communication app	pears on the cover sheet with the c	orrespondence address		
A SHI WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING Donsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. In period for reply is specified above, the maximum statutory period or reto reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	I. lely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status	ed patent term adjustment. See 37 CFR 1.704(b).				
1)⊠ 2a)⊟	Responsive to communication(s) filed on <u>08 S</u> This action is FINAL . 2b) This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro			
Dispositi	on of Claims				
5)□ 6)⊠ 7)□	Claim(s) 33-48 is/are pending in the application 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 33-48 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration.			
Applicati	on Papers				
10)⊠	The specification is objected to by the Examine The drawing(s) filed on <u>September 8, 2003</u> , is/s Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	are: a) accepted or b) object drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).		
Priority u	ınder 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 08/087,520. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
2) Notice	t(s) se of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date <u>9-8-03</u> .	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:			

Art Unit: 3738

The disclosure is objected to because of the following informalities: At the beginning of the specification, the patent number corresponding to U.S. application serial number 09/776,850 should be included. In the replacement paragraph at page 16, lines 1-21, of the Preliminary Amendment of September 8, 2003, reference characters "12", "13", and "18" should apparently be replaced by --42--, --43--, and --48--, respectively. In claim 42, line 2, "longitudinal" is misspelled. Appropriate correction is required.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the wrinkled lining (claim 33, last three lines) must be shown or the feature canceled from the claim. No new matter should be entered. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 33-48 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claims contain subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor, at the time the application was filed, had possession of the claimed invention. Regarding claims 33-38, the disclosure as originally filed describes an embodiment having a wrinkled lining (e.g., US 6,193,746 B1: column 2, lines 21-38) but says nothing about said embodiment including a continuous and connected lining (claim 33, line 8), an inner lining portion (claim 34), a biodegradable lining (claim 35), a lining with several layers (claims 36 and 37), or a porous lining (claim 38). Likewise, there is no disclosed *structure* (as opposed to a lining) which defines three fluid orifices that expand when the structure is expanded (claim 39, lines 4-7). Various further limitations in dependent claims 40-48 are also absent in the original disclosure. Inherency may not be established by probabilities or possibilities (MPEP § 2163); when an explicit limitation in a claim "is not present in the written description whose benefit is sought it must be shown that a person of ordinary skill would have understood, at the time the patent application was filed, that the description requires that limitation" (Hyatt v. Boone, 146 F.3d 1348, 1353, 47 USPQ2d 1128, 1131 (Fed. Cir. 1998); emphasis added). The Preliminary Amendment of September 8, 2003, is not viewed as part of the original disclosure of the present application because the executed oath or declaration under 37 CFR 1.63 does not make reference to said Amendment. If the Applicant opts to change the present application to a continuation-inArt Unit: 3738

part, then the Applicant must follow the procedures set forth in MPEP §§ 201.11 and 714.01(e), section II. Said Amendment currently fails to comply with MPEP § 714.02 because the remarks do not specifically point out the support for added claims 33-48 in ancestor application serial no. 08/087,520. In view of Office policy for interpreting such claims (MPEP § 2163.06), other prior art may be applicable upon amending to overcome the aforementioned problems.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 39-48 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. When read in light of the specification, "the structure defining a first fluid orifice, a second fluid orifice, and a third fluid orifice" (claim 39, lines 4-5), along with other language, is misleading and confusing as to the scope of the claims, for reasons presented above.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 33-38 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Schwartz, US 5,957,971. The embodiment shown in Figure 2 includes an elongated hollow structure 34 and a wrinkled lining 32 interfaced with a medication for delivery to a patient (column 5, lines 31-40; column 2, lines 24-27; column 4, line 30 et seq.). Regarding claim 34, Application/Control Number: 10/656,218 Page 5

Art Unit: 3738

the lining is positioned *within* the structure in the sense that it lies *between* successive helical coils of the stent **34** (Figures 2 and 10). Regarding claim 35: column 2, lines 28-29; column 6, lines 46-48; etc. Regarding claim 36: column 3, lines 40-43 and 65-67. Regarding claim 37, more than one medication would have been inherent from column 1, lines 51-55; column 2, lines 9-11 and 29-33; column 4, lines 15-17; column 6, lines 33-37; etc. Regarding claim 38, pores would have been inherent from the incorporation of controlled-rate microcapsules (column 4, lines 48-55).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dave Willse whose telephone number is 571-272-4762. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Dave Willse Primary Examiner

Art Unit 3738